


PENDING CLAIMS
 Application No. 09/618,066
 Attorney Docket No. 05725.0656-00000
 Filed: July 17, 2000

1-156. (Cancelled)

157. (Previously presented) A process for non-migrating deposit of a lipstick composition comprising including in said lipstick composition at least one liquid continuous fatty phase, said at least one liquid continuous fatty phase being structured with a sufficient amount of an agent for non-migrating deposit of said lipstick composition, said agent comprising at least one structuring polymer, wherein said at least one structuring polymer is chosen from polymers of formula (I) below:



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R¹, which are identical or different, are each chosen from alkyl groups with at least 4 carbon atoms and alkenyl groups with at least 4 carbon atoms;

- R^2 , which are identical or different, are each chosen from C_4 to C_{42} hydrocarbon-based groups with the proviso that at least 50% of R^2 are chosen from C_{30} to C_{42} hydrocarbon-based groups;

- R^3 , which are identical or different, are each chosen from C_2 to C_{36} hydrocarbon-based groups; and

- R^4 , which are identical or different, are each chosen from hydrogen and C_1 to C_{10} alkyl groups, with the proviso that at least 50% of all R^4 are chosen from hydrogen; and


wherein said lipstick composition further comprises at least one dyestuff chosen from pigments and nacs.

158. (Previously presented) A process according to Claim 157, wherein said lipstick composition has a hardness ranging from 20 g to 2000 g.

159. (Original) A process according to Claim 158, wherein said hardness ranges from 20 g to 900 g.

160. (Original) A process according to Claim 159, wherein said hardness ranges from 20 g to 600 g.

161. (Previously presented) A process for non-migrating deposit of a lipstick composition comprising at least one continuous liquid fatty phase comprising structuring said fatty phase with a sufficient amount of at least one structuring polymer, wherein said at least one structuring polymer is chosen from polymers of formula (I) below:



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R¹, which are identical or different, are each chosen from alkyl groups with at least 4 carbon atoms and alkenyl groups with at least 4 carbon atoms;

- R², which are identical or different, are each chosen from C₄ to C₄₂ hydrocarbon-based groups with the proviso that at least 50% of R² are chosen from C₃₀ to C₄₂ hydrocarbon-based groups;


- R³, which are identical or different, are each chosen from C₂ to C₃₆ hydrocarbon-based groups; and

- R⁴, which are identical or different, are each chosen from hydrogen and C₁ to C₁₀ alkyl groups, with the proviso that at least 50% of all R⁴ are chosen from hydrogen; and

wherein said lipstick composition further comprises at least one dyestuff chosen from pigments and nacles.

162-167. (Cancelled)

168. (Previously presented) A process for non-migrating deposit of a foundation composition comprising including in said foundation composition at least one liquid continuous fatty phase, said at least one liquid continuous fatty phase being structured with a sufficient amount of an agent for non-migrating deposit of said foundation composition, said agent comprising at least one structuring polymer, wherein said at least one structuring polymer is chosen from polymers of formula (I) below:



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R¹, which are identical or different, are each chosen from alkyl groups with at least 4 carbon atoms and alkenyl groups with at least 4 carbon atoms;

- R², which are identical or different, are each chosen from C₄ to C₄₂ hydrocarbon-based groups with the proviso that at least 50% of R² are chosen from C₃₀ to C₄₂ hydrocarbon-based groups;

- R³, which are identical or different, are each chosen from C₂ to C₃₆ hydrocarbon-based groups; and

- R^4 , which are identical or different, are each chosen from hydrogen and C_1 to C_{10} alkyl groups, with the proviso that at least 50% of all R^4 are chosen from hydrogen; and


wherein said foundation composition further comprises at least one dyestuff chosen from pigments and nacles.

169. (Previously presented) A process according to Claim 168, wherein said foundation composition has a hardness ranging from 20 g to 2000 g.

170. (Previously presented) A process according to Claim 169, wherein said hardness ranges from 20 g to 900 g.

171. (Previously presented) A process according to Claim 170, wherein said hardness ranges from 20 g to 600 g.

172. (Previously presented) A process for non-migrating deposit of a foundation composition comprising at least one continuous liquid fatty phase comprising structuring said fatty phase with a sufficient amount of at least one structuring polymer, wherein said at least one structuring polymer is chosen from polymers of formula (I) below:



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges

from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R^1 , which are identical or different, are each chosen from alkyl groups with at least 4 carbon atoms and alkenyl groups with at least 4 carbon atoms;


- R^2 , which are identical or different, are each chosen from C_4 to C_{42} hydrocarbon-based groups with the proviso that at least 50% of R^2 are chosen from C_{30} to C_{42} hydrocarbon-based groups;

- R^3 , which are identical or different, are each chosen from C_2 to C_{36} hydrocarbon-based groups; and

- R^4 , which are identical or different, are each chosen from hydrogen and C_1 to C_{10} alkyl groups, with the proviso that at least 50% of all R^4 are chosen from hydrogen; and

wherein said foundation composition further comprises at least one dyestuff chosen from pigments and nacles.

173. (Previously presented) A process for non-migrating deposit of a composition for making up at least one keratinous material comprising at least one continuous liquid fatty phase comprising structuring said fatty phase with a sufficient amount of at least one structuring polymer, wherein said at least one structuring polymer is chosen from polymers of formula (I) below:



in which:

- n is an integer which represents the number of amide units such that the number of ester groups present in said at least one structuring polymer ranges from 10% to 50% of the total number of all said ester groups and all said amide groups comprised in said at least one structuring polymer;

- R^1 , which are identical or different, are each chosen from alkyl groups with at least 4 carbon atoms and alkenyl groups with at least 4 carbon atoms;

- R^2 , which are identical or different, are each chosen from C_4 to C_{42} hydrocarbon-based groups with the proviso that at least 50% of R^2 are chosen from C_{30} to C_{42} hydrocarbon-based groups;

- R^3 , which are identical or different, are each chosen from C_2 to C_{36} hydrocarbon-based groups; and

- R^4 , which are identical or different, are each chosen from hydrogen and C_1 to C_{10} alkyl groups, with the proviso that at least 50% of all R^4 are chosen from hydrogen; and

wherein said composition for making up at least one keratinous material further comprises at least one dyestuff chosen from pigments and nacles.

174. (Previously presented) A process according to claim 173, wherein said at least one structuring polymer is chosen from ethylenediamine/stearyl dimer tallate copolymer.